

GL - 8(4)

2nd Label

.....

M A T E R I A L S A F E T Y D A T A S H E E T

.....

I. P R O D U C T I D E N T I F I C A T I O N

PRODUCT NAME (AS LABELED): TROPHY CHARCOAL BRIQUETS

MANUFACTURER: Safeway Stores, Incorporated
 ADDRESS: P.O. BOX 850, ROVER ROUTE 708, WEST PLAINS, MO. 65775
 EMERGENCY PHONE: (417) 256-2116
 BUSINESS PHONE: (417) 256-2116
 DATE PREPARED: 8/9/89

II. H A Z A R D O U S I N G R E D I E N T S

CHEMICAL NAME & CAS #	% BY WEIGHT	EXPOSURE LIMITS IN AIR
CHAR DUST CAS # 16291-96-6	VARIES	*2 mg/m ³
COAL DUST	VARIES	2 mg/m ³
SAWDUST	0.5 - 10.0%	1 mg/m ³ TLV-TWA

*BASED ON THE COAL DUST TLV ESTABLISHED BY ACGIH

CHAR AND COAL DUST ARE PRODUCED AS A RESULT OF BRIQUET BREAKAGE. THE CONCENTRATION WILL VARY DEPENDING ON THE AMOUNT OF BREAKAGE.

GL - 8(4)
2nd Label

SAFEMART STORES, INCORPORATED
P.O. BOX 850, ROWER ROUTE 70B
WEST PLAINS, MO 65775
TEL. (417) 256-2116

TROPHY CHARCOAL BRIQUETS
Page 2 of 4

.....
M A T E R I A L S A F E T Y D A T A S H E E T
.....

III. PHYSICAL PROPERTIES

Vapor Density (Air=1): Not Applicable

Density:

Solubility in Water: Insoluble

Vapor Pressure mmHg @ 20°C: Not Applicable

Evaporation Rate (Water=1): Not Applicable

Melting Point or Range, °F: >6300°

Boiling Point or Range, °F:

Volatile (by Weight): 4.0 - 6.0%

Appearance and odor: Black solid cubes

IV. FIRE AND EXPLOSION INFORMATION

Flash Point:

Auto Ignition Temperature:

Flammable (by Weight) in Air:

Fire Extinguishing Media: This product is a mixture of combustible materials.
To extinguish fire use water spray, foam, dry
chemical or carbon dioxide.

Special Fighting Procedures: None

Unusual Fire and Explosion Hazards: None

SAFEMATE STORES, INCORPORATED
 P.O. BOX 438 ROVER ROUTE 70B
 WEST PLAINS, MO. 65775
 TEL. (417) 286-2216

TROPHY CHARCOAL BRIQUETS

Page 3 of 4

.....
 MATERIAL SAFETY DATA SHEET

V. HEALTH HAZARD INFORMATION

HEALTH EFFECTS OR RISKS FROM EXPOSURE: Repeated (chronic) or prolonged overexposure to the dust may cause coughing, shortness of breath and occupational lung disease. No medical conditions are known to be aggravated by exposure to this product. Preliminary studies have linked wood dust to nasal cancer in furniture workers. Carpenters, sawmill and lumber mill workers do not appear to have this increased risk. Due to the packaging and probable use conditions the likelihood of any chronic effects are low.

Dust may irritate eyes. Possible sensitizer.

EMERGENCY AND FIRST AID PROCEDURES:

Eyes: Flush eyes immediately with plenty of water.

Skin: Wash exposed area with soap and water.

Ingestion: Not an apparent hazard.

Inhalation: If breathing problems develop, remove to fresh air.

CARCINOGENICITY: NO XX YES: Federal OSHA NTP
 Cal OSHA IARC

MEDICAL CONDITION AGGRAVATED BY EXPOSURE: No medical conditions are known to be aggravated by exposure to this product.

VI. REACTIVITY DATA

Stability: XX Stable Unstable

Conditions to Avoid: Stable under normal use and storage conditions. Incomplete combustion may form carbon monoxide.

Incompatibility (materials to avoid): None Known

Hazardous Decomposition Products: None Known

Hazardous Polymerization: May Occur XX Will Not Occur

GL - 8(4)
2nd Label

SAFEMAX STORES, INCORPORATED
P.O. BOX 850 ROVER ROUTE 708
WEST PLAINS, MO. 65775
TEL. (417) 256-2116

TROPHY CHARCOAL BRIQUETS
Page 4 of 4

.....
M A T E R I A L S A F E T Y D A T A S H E E T
.....

.....
VII. SPILL, LEAK AND DISPOSAL PROCEDURES
.....

SPIII RESPONSE PROCEDURES: Collect and place in a suitable container and dispose as dry sorap in accordance with federal, state and local regulations.

WASTE DISPOSAL INFORMATION:

.....
VIII. SPECIAL HANDLING INFORMATION
.....

Ventilation: Use adequate ventilation when burning this material. In an occupational exposure, use general ventilation to minimize exposure to dust.

Respiratory Protection: In an occupational exposure, wear a dust respirator.

Eye Protection: In an occupational exposure, wear safety glasses.

Protective Gloves: In an occupational exposure, wear rubber gloves.

Other Protective Measures: Avoid eye contact and inhalation of dust.

Other Handling and Storage Information: To avoid spillage and for better results, keep container closed when not in use.

.....
IX. SPECIAL PRECAUTIONS
.....

WARNING: Do not use for indoor heating or cooking unless ventilation is provided for exhausting fumes to outside. Toxic fumes may accumulate. Move away from open flames.